



STATE WATER RESOURCES CONTROL BOARD  
REGIONAL WATER QUALITY CONTROL BOARDS

**Interim**

CALIFORNIA STATE



ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF  
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

**Dellavalle Laboratory, Inc.**

1910 West Mckinley Avenue

Fresno, CA 93728

Scope of the certificate is limited to the  
"Fields of Accreditation"  
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1595**

Effective Date: **9/1/2021**

Expiration Date: **8/31/2022**

A handwritten signature in blue ink, appearing to read "Christine Sotelo".

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Chief  
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**



**Dellavalle Laboratory, Inc.**

1910 West McKinley Avenue  
Fresno, CA 93728  
Phone: 5592336129

**Certificate Number: 1595  
Expiration Date: 8/31/2022  
INTERIM**

**Field of Accreditation:101 - Microbiology of Drinking Water**

101.050 001	Total Coliform P/A	SM 9223 B Colilert
101.050 002	E. coli P/A	SM 9223 B Colilert
101.050 003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050 004	E. coli (Enumeration)	SM 9223 B Colilert
101.050 005	Total Coliform P/A	SM 9223 B Colilert 18
101.050 006	E. coli P/A	SM 9223 B Colilert 18
101.050 007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050 008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050 009	Total Coliform P/A	SM 9223 B Colisure
101.050 010	E. coli P/A	SM 9223 B Colisure

**Field of Accreditation:102 - Inorganic Chemistry of Drinking Water**

102.015 001	Hydrogen Ion (pH)	EPA 150.1
102.026 001	Calcium	EPA 200.7
102.026 002	Magnesium	EPA 200.7
102.026 003	Potassium	EPA 200.7
102.026 004	Silica	EPA 200.7
102.026 005	Sodium	EPA 200.7
102.026 006	Hardness (Calculation)	EPA 200.7
102.030 003	Chloride	EPA 300.0
102.030 005	Fluoride	EPA 300.0
102.030 006	Nitrate (as N)	EPA 300.0
102.030 007	Nitrite (as N)	EPA 300.0
102.030 008	Phosphate,Ortho (as P)	EPA 300.0
102.030 009	Sulfate (as SO4)	EPA 300.0
102.095 001	Turbidity	SM 2130 B-2001
102.100 001	Alkalinity	SM 2320 B-1997
102.120 001	Hardness (Calculation)	SM 2340 B-1997
102.130 001	Specific Conductance	SM 2510 B-1997
102.140 001	Residue, Filterable TDS	SM 2540 C-1997
102.147 001	Calcium	SM 3120 B-1999
102.147 002	Magnesium	SM 3120 B-1999
102.147 003	Potassium	SM 3120 B-1999
102.147 004	Silica	SM 3120 B-1999

As of 3/8/2022 , this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

102.171	001	Chloride	SM 4500-Chloride D-1997
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.220	001	Nitrite (as N)	SM 4500-NO2 B-2000
102.234	001	Nitrite (as N)	SM 4500-NO3 F-2000
102.234	002	Nitrate (as N)	SM 4500-NO3 F-2000

**Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water**

103.060	001	Aluminum	SM 3120 B
103.060	003	Barium	SM 3120 B
103.060	004	Beryllium	SM 3120 B
103.060	007	Chromium	SM 3120 B
103.060	008	Copper	SM 3120 B
103.060	009	Iron	SM 3120 B
103.060	011	Manganese	SM 3120 B
103.060	015	Silver	SM 3120 B
103.060	017	Zinc	SM 3120 B
103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7

**Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water**

108.007	001	Residue, Volatile	EPA 160.4 (1971)
108.013	001	Calcium	EPA 200.7 (1994 Rev. 4.4)
108.013	002	Magnesium	EPA 200.7 (1994 Rev. 4.4)
108.013	003	Phosphorus, Total	EPA 200.7 (1994 Rev. 4.4)
108.013	004	Potassium	EPA 200.7 (1994 Rev. 4.4)
108.013	005	Silica, Dissolved	EPA 200.7 (1994 Rev. 4.4)
108.013	006	Sodium	EPA 200.7 (1994 Rev. 4.4)
108.017	002	Chloride	EPA 300.0 (1993 Rev. 2.1)
108.017	003	Fluoride	EPA 300.0 (1993 Rev. 2.1)
108.017	004	Nitrate (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	006	Nitrite (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	007	Phosphate, Ortho (as P)	EPA 300.0 (1993 Rev. 2.1)
108.017	008	Sulfate (as SO4)	EPA 300.0 (1993 Rev. 2.1)
108.055	001	Color	SM 2120 B-2011

108.059	001	Turbidity	SM 2130 B-2011
108.061	001	Acidity	SM 2310 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.071	001	Residue, Total	SM 2540 B-2011
108.073	001	Residue, Filterable TDS	SM 2540 C-2011
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.077	001	Residue, Volatile	SM 2540 E-2011
108.077	002	Residue, Fixed Filterable (FDS)	SM 2540 E-2011
108.079	001	Residue, Settleable	SM 2540 F-2011
108.083	001	Calcium	SM 3120 B-2011
108.083	002	Magnesium	SM 3120 B-2011
108.083	003	Potassium	SM 3120 B-2011
108.083	005	Sodium	SM 3120 B-2011
108.083	006	Phosphorus, Total	SM 3120 B-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.149	001	Ammonia (as N)	SM 4500-NH3 H-2011
108.151	001	Kjeldahl Nitrogen, Total (as N)	SM 4500-Norg D-2011
108.153	001	Nitrite (as N)	SM 4500-NO2 B-2011
108.159	001	Nitrate-Nitrite (as N)	SM 4500-NO3 F-2011
108.207	001	Biochemical Oxygen Demand	SM 5210 B-2011
108.207	002	Carbonaceous BOD	SM 5210 B-2011
108.213	001	Chemical Oxygen Demand	SM 5220 D-2011
108.215	001	Organic Carbon-Total (TOC)	SM 5310 B-2011

**Field of Accreditation: 109 - Metals and Trace Elements in Non-Potable Water**

109.623	001	Aluminum	EPA 200.7 (1994 Rev. 4.4)
109.623	004	Barium	EPA 200.7 (1994 Rev. 4.4)
109.623	005	Beryllium	EPA 200.7 (1994 Rev. 4.4)
109.623	006	Boron	EPA 200.7 (1994 Rev. 4.4)
109.623	007	Cadmium	EPA 200.7 (1994 Rev. 4.4)
109.623	008	Chromium	EPA 200.7 (1994 Rev. 4.4)
109.623	010	Copper	EPA 200.7 (1994 Rev. 4.4)
109.623	011	Iron	EPA 200.7 (1994 Rev. 4.4)
109.623	013	Manganese	EPA 200.7 (1994 Rev. 4.4)
109.623	014	Molybdenum	EPA 200.7 (1994 Rev. 4.4)
109.623	015	Nickel	EPA 200.7 (1994 Rev. 4.4)
109.623	017	Silver	EPA 200.7 (1994 Rev. 4.4)
109.623	022	Zinc	EPA 200.7 (1994 Rev. 4.4)
109.675	001	Aluminum	SM 3120 B-2011
109.675	004	Barium	SM 3120 B-2011
109.675	005	Beryllium	SM 3120 B-2011

109.675	006	Boron	SM 3120 B-2011
109.675	007	Cadmium	SM 3120 B-2011
109.675	008	Chromium	SM 3120 B-2011
109.675	010	Copper	SM 3120 B-2011
109.675	011	Iron	SM 3120 B-2011
109.675	013	Manganese	SM 3120 B-2011
109.675	014	Molybdenum	SM 3120 B-2011
109.675	015	Nickel	SM 3120 B-2011
109.675	017	Silver	SM 3120 B-2011
109.675	020	Zinc	SM 3120 B-2011