



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

Dellavalle Laboratory, Inc.

1910 West Mckinley Avenue

Fresno, CA 93728

Scope of the certificate is limited to the
"Fields of Accreditation"
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1595**

Effective Date: **9/1/2023**

Expiration Date: **8/31/2025**

A handwritten signature in blue ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Program Manager
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Fields of Accreditation**



Dellavalle Laboratory, Inc.

1910 West McKinley Avenue
Fresno, CA 93728
Phone: 5592336129

**Certificate Number: 1595
Expiration Date: 8/31/2025**

Field of Accreditation:101 - Microbiology of Drinking Water

101.050 001	Total Coliform P/A	SM 9223 B Colilert
101.050 002	E. coli P/A	SM 9223 B Colilert
101.050 003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050 004	E. coli (Enumeration)	SM 9223 B Colilert
101.050 005	Total Coliform P/A	SM 9223 B Colilert 18
101.050 006	E. coli P/A	SM 9223 B Colilert 18
101.050 007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050 008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050 009	Total Coliform P/A	SM 9223 B Colisure
101.050 010	E. coli P/A	SM 9223 B Colisure

Field of Accreditation:102 - Inorganic Chemistry of Drinking Water

102.015 001	Hydrogen Ion (pH)	EPA 150.1
102.026 001	Calcium	EPA 200.7
102.026 002	Magnesium	EPA 200.7
102.026 003	Potassium	EPA 200.7
102.026 004	Silica	EPA 200.7
102.026 005	Sodium	EPA 200.7
102.026 006	Hardness (Calculation)	EPA 200.7
102.030 003	Chloride	EPA 300.0
102.030 005	Fluoride	EPA 300.0
102.030 006	Nitrate (as N)	EPA 300.0
102.030 007	Nitrite (as N)	EPA 300.0
102.030 008	Phosphate,Ortho (as P)	EPA 300.0
102.030 009	Sulfate (as SO4)	EPA 300.0
102.095 001	Turbidity	SM 2130 B-2001
102.100 001	Alkalinity	SM 2320 B-1997
102.120 001	Hardness (Calculation)	SM 2340 B-1997
102.130 001	Specific Conductance	SM 2510 B-1997
102.140 001	Residue, Filterable TDS	SM 2540 C-1997
102.171 001	Chloride	SM 4500-Chloride D-1997
102.203 001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.220 001	Nitrite (as N)	SM 4500-NO2 B-2000
102.234 002	Nitrate (as N)	SM 4500-NO3 F-2000

As of 9/12/2024 , this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7

Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water

108.007	001	Residue, Volatile	EPA 160.4
108.013	001	Calcium	EPA 200.7
108.013	002	Magnesium	EPA 200.7
108.013	003	Phosphorus, Total	EPA 200.7
108.013	004	Potassium	EPA 200.7
108.013	005	Silica, Dissolved	EPA 200.7
108.013	006	Sodium	EPA 200.7
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0
108.017	007	Phosphate, Ortho (as P)	EPA 300.0
108.017	008	Sulfate (as SO ₄)	EPA 300.0
108.055	001	Color	SM 2120 B-2011
108.059	001	Turbidity	SM 2130 B-2011
108.061	001	Acidity	SM 2310 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.070	001	Residue, Total	SM 2540 B-2015
108.072	001	Residue, Filterable TDS	SM 2540 C-2015
108.074	001	Residue, Non-filterable TSS	SM 2540 D-2015
108.076	001	Residue, Volatile	SM 2540 E-2015
108.076	002	Residue, Fixed Filterable (FDS)	SM 2540 E-2015
108.078	001	Residue, Settleable	SM 2540 F-2015
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.149	001	Ammonia (as N)	SM 4500-NH ₃ H-2011
108.151	001	Kjeldahl Nitrogen, Total (as N)	SM 4500-Norg D-2011

108.153	001	Nitrite (as N)	SM 4500-NO2 B-2011
108.158	001	Nitrate-Nitrite (as N)	SM 4500-NO3- F-2016
108.206	001	Biochemical Oxygen Demand	SM 5210 B-2016
108.206	002	Carbonaceous BOD	SM 5210 B-2016
108.213	001	Chemical Oxygen Demand	SM 5220 D-2011
108.214	001	Organic Carbon-Total (TOC)	SM 5310 B-2014

Field of Accreditation: 109 - Metals and Trace Elements in Non-Potable Water

109.623	001	Aluminum	EPA 200.7
109.623	004	Barium	EPA 200.7
109.623	005	Beryllium	EPA 200.7
109.623	006	Boron	EPA 200.7
109.623	007	Cadmium	EPA 200.7
109.623	008	Chromium	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	011	Iron	EPA 200.7
109.623	013	Manganese	EPA 200.7
109.623	014	Molybdenum	EPA 200.7
109.623	015	Nickel	EPA 200.7
109.623	017	Silver	EPA 200.7
109.623	022	Zinc	EPA 200.7