



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

Dellavalle Laboratory, Inc.

1910 West McKinley Avenue

Fresno, CA 93728

Scope of the certificate is limited to the
"Fields of Accreditation"
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1595**

Effective Date: **9/1/2025**

Expiration Date: **8/31/2027**

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Program Manager
Environmental Laboratory Accreditation Program



CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Fields of Accreditation



Dellavalle Laboratory, Inc.

1910 West McKinley Avenue
Fresno, CA 93728
Phone: 5592336129

Certificate Number: 1595
Expiration Date: 8/31/2027

Field of Accreditation: 101 - Microbiology of Drinking Water

101.010	002	Heterotrophic Bacteria	SimPlate
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	003	E. coli P/A	SM 9221 B,F
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure

Field of Accreditation: 102 - Inorganic Chemistry of Drinking Water

102.015	001	Hydrogen Ion (pH)	EPA 150.1
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	004	Silica	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (Calculation)	EPA 200.7
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate, Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO ₄)	EPA 300.0
102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000

102.220	001	Nitrite (as N)	SM 4500-NO2 B-2000
---------	-----	----------------	--------------------

102.234	002	Nitrate (as N)	SM 4500-NO3 F-2000
---------	-----	----------------	--------------------

Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water

103.130	008	Copper	EPA 200.7
---------	-----	--------	-----------

103.130	009	Iron	EPA 200.7
---------	-----	------	-----------

103.130	011	Manganese	EPA 200.7
---------	-----	-----------	-----------

103.130	017	Zinc	EPA 200.7
---------	-----	------	-----------

103.130	018	Boron	EPA 200.7
---------	-----	-------	-----------

103.140	001	Aluminum	EPA 200.8
---------	-----	----------	-----------

103.140	002	Antimony	EPA 200.8
---------	-----	----------	-----------

103.140	003	Arsenic	EPA 200.8
---------	-----	---------	-----------

103.140	004	Barium	EPA 200.8
---------	-----	--------	-----------

103.140	005	Beryllium	EPA 200.8
---------	-----	-----------	-----------

103.140	006	Cadmium	EPA 200.8
---------	-----	---------	-----------

103.140	007	Chromium	EPA 200.8
---------	-----	----------	-----------

103.140	008	Copper	EPA 200.8
---------	-----	--------	-----------

103.140	009	Lead	EPA 200.8
---------	-----	------	-----------

103.140	010	Manganese	EPA 200.8
---------	-----	-----------	-----------

103.140	012	Nickel	EPA 200.8
---------	-----	--------	-----------

103.140	013	Selenium	EPA 200.8
---------	-----	----------	-----------

103.140	014	Silver	EPA 200.8
---------	-----	--------	-----------

103.140	015	Thallium	EPA 200.8
---------	-----	----------	-----------

103.140	016	Zinc	EPA 200.8
---------	-----	------	-----------

103.140	017	Boron	EPA 200.8
---------	-----	-------	-----------

103.140	018	Vanadium	EPA 200.8
---------	-----	----------	-----------

Field of Accreditation:106 - Radionuclides in Drinking Water

106.092	001	Uranium	EPA 200.8
---------	-----	---------	-----------

Field of Accreditation:107 - Microbiological Methods for Non-Potable Water and Sewage Sludge

107.050	001	Total Coliform (Enumeration)	SM 9221 B-2014
---------	-----	------------------------------	----------------

107.052	001	Fecal Coliform (Enumeration)	SM 9221 E-2014
---------	-----	------------------------------	----------------

107.054	001	E. coli (Enumeration)	SM 9221 F-2014
---------	-----	-----------------------	----------------

107.068	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert
---------	-----	-----------------------	-------------------------

107.070	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18
---------	-----	-----------------------	----------------------------

Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water

108.013	001	Calcium	EPA 200.7
---------	-----	---------	-----------

108.013	002	Magnesium	EPA 200.7
---------	-----	-----------	-----------

108.013	003	Phosphorus, Total	EPA 200.7
---------	-----	-------------------	-----------

108.013	004	Potassium	EPA 200.7
---------	-----	-----------	-----------

108.013	005	Silica, Dissolved	EPA 200.7
---------	-----	-------------------	-----------

108.013	006	Sodium	EPA 200.7
---------	-----	--------	-----------

108.015	001	Calcium	EPA 200.8
---------	-----	---------	-----------

108.015	002	Magnesium	EPA 200.8
---------	-----	-----------	-----------

108.015	003	Potassium	EPA 200.8
108.015	004	Silica, Dissolved	EPA 200.8
108.015	005	Sodium	EPA 200.8
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0
108.017	007	Phosphate,Ortho (as P)	EPA 300.0
108.017	008	Sulfate (as SO ₄)	EPA 300.0
108.055	001	Color	SM 2120 B-2011
108.059	001	Turbidity	SM 2130 B-2011
108.061	001	Acidity	SM 2310 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.070	001	Residue, Total	SM 2540 B-2015
108.072	001	Residue, Filterable TDS	SM 2540 C-2015
108.074	001	Residue, Non-filterable TSS	SM 2540 D-2015
108.076	001	Residue, Volatile	SM 2540 E-2015
108.076	002	Residue, Fixed Filterable (FDS)	SM 2540 E-2015
108.078	001	Residue, Settleable	SM 2540 F-2015
108.119	001	Chloride	SM 4500-Chloride D-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.149	001	Ammonia (as N)	SM 4500-NH ₃ H-2011
108.151	001	Kjeldahl Nitrogen, Total (as N)	SM 4500-Norg D-2011
108.153	001	Nitrite (as N)	SM 4500-NO ₂ B-2011
108.206	001	Biochemical Oxygen Demand	SM 5210 B-2016
108.206	002	Carbonaceous BOD	SM 5210 B-2016
108.213	001	Chemical Oxygen Demand	SM 5220 D-2011
108.214	001	Organic Carbon-Total (TOC)	SM 5310 B-2014

Field of Accreditation:109 - Metals and Trace Elements in Non-Potable Water

109.623	006	Boron	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	011	Iron	EPA 200.7
109.623	013	Manganese	EPA 200.7
109.623	022	Zinc	EPA 200.7
109.625	001	Aluminum	EPA 200.8
109.625	002	Antimony	EPA 200.8
109.625	003	Arsenic	EPA 200.8
109.625	004	Barium	EPA 200.8
109.625	005	Beryllium	EPA 200.8

109.625	006	Boron	EPA 200.8
109.625	007	Cadmium	EPA 200.8
109.625	008	Chromium	EPA 200.8
109.625	009	Cobalt	EPA 200.8
109.625	010	Copper	EPA 200.8
109.625	012	Iron	EPA 200.8
109.625	013	Lead	EPA 200.8
109.625	014	Manganese	EPA 200.8
109.625	015	Molybdenum	EPA 200.8
109.625	016	Nickel	EPA 200.8
109.625	017	Selenium	EPA 200.8
109.625	018	Silver	EPA 200.8
109.625	019	Thallium	EPA 200.8
109.625	022	Vanadium	EPA 200.8
109.625	023	Zinc	EPA 200.8

Field of Accreditation:126 - Microbiological Methods for Ambient Water

126.102	001	Total Coliform (Enumeration)	SM 9221 B-2014
126.104	001	Fecal Coliform (Enumeration)	SM 9221 E-2014
126.106	001	E. coli (Enumeration)	SM 9221 F-2014
126.120	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert
126.122	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18