



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

**CERTIFICATE OF  
ENVIRONMENTAL LABORATORY ACCREDITATION**

Is hereby granted to

**Dellavalle Laboratory, Inc.**

1910 West McKinley Avenue

Fresno, CA 93728

Scope of the certificate is limited to the  
"Fields of Accreditation"  
which accompany this Certificate.

Continued accredited status depends on compliance with applicable laws and regulations,  
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of  
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1595**

Effective Date: **9/1/2025**

Expiration Date: **8/31/2027**

Sacramento, California  
subject to forfeiture or revocation

Christine Sotelo, Program Manager  
Environmental Laboratory Accreditation Program



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**



**Dellavalle Laboratory, Inc.**

1910 West McKinley Avenue  
Fresno, CA 93728  
Phone: 5592336129

**Certificate Number: 1595**  
**Expiration Date: 8/31/2027**

---

**Field of Accreditation:101 - Microbiology of Drinking Water**

---

|         |     |                              |                       |
|---------|-----|------------------------------|-----------------------|
| 101.010 | 002 | Heterotrophic Bacteria       | SimPlate              |
| 101.020 | 001 | Total Coliform P/A           | SM 9221 B             |
| 101.020 | 002 | Fecal Coliform P/A           | SM 9221 B,E           |
| 101.020 | 003 | E. coli P/A                  | SM 9221 B,F           |
| 101.020 | 004 | Total Coliform (Enumeration) | SM 9221 B,C           |
| 101.020 | 005 | Fecal Coliform (Enumeration) | SM 9221 B,E           |
| 101.020 | 006 | E. coli (Enumeration)        | SM 9221 B,F           |
| 101.050 | 001 | Total Coliform P/A           | SM 9223 B Colilert    |
| 101.050 | 002 | E. coli P/A                  | SM 9223 B Colilert    |
| 101.050 | 003 | Total Coliform (Enumeration) | SM 9223 B Colilert    |
| 101.050 | 004 | E. coli (Enumeration)        | SM 9223 B Colilert    |
| 101.050 | 005 | Total Coliform P/A           | SM 9223 B Colilert 18 |
| 101.050 | 006 | E. coli P/A                  | SM 9223 B Colilert 18 |
| 101.050 | 007 | Total Coliform (Enumeration) | SM 9223 B Colilert 18 |
| 101.050 | 008 | E. coli (Enumeration)        | SM 9223 B Colilert 18 |
| 101.050 | 009 | Total Coliform P/A           | SM 9223 B Colisure    |
| 101.050 | 010 | E. coli P/A                  | SM 9223 B Colisure    |

---

**Field of Accreditation:102 - Inorganic Chemistry of Drinking Water**

---

|         |     |                        |                |
|---------|-----|------------------------|----------------|
| 102.015 | 001 | Hydrogen Ion (pH)      | EPA 150.1      |
| 102.026 | 001 | Calcium                | EPA 200.7      |
| 102.026 | 002 | Magnesium              | EPA 200.7      |
| 102.026 | 003 | Potassium              | EPA 200.7      |
| 102.026 | 004 | Silica                 | EPA 200.7      |
| 102.026 | 005 | Sodium                 | EPA 200.7      |
| 102.026 | 006 | Hardness (Calculation) | EPA 200.7      |
| 102.030 | 003 | Chloride               | EPA 300.0      |
| 102.030 | 005 | Fluoride               | EPA 300.0      |
| 102.030 | 006 | Nitrate (as N)         | EPA 300.0      |
| 102.030 | 007 | Nitrite (as N)         | EPA 300.0      |
| 102.030 | 008 | Phosphate,Ortho (as P) | EPA 300.0      |
| 102.030 | 009 | Sulfate (as SO4)       | EPA 300.0      |
| 102.095 | 001 | Turbidity              | SM 2130 B-2001 |
| 102.100 | 001 | Alkalinity             | SM 2320 B-1997 |

|         |     |                         |                         |
|---------|-----|-------------------------|-------------------------|
| 102.120 | 001 | Hardness (Calculation)  | SM 2340 B-1997          |
| 102.130 | 001 | Specific Conductance    | SM 2510 B-1997          |
| 102.140 | 001 | Residue, Filterable TDS | SM 2540 C-1997          |
| 102.171 | 001 | Chloride                | SM 4500-Chloride D-1997 |
| 102.203 | 001 | Hydrogen Ion (pH)       | SM 4500-H+ B-2000       |
| 102.220 | 001 | Nitrite (as N)          | SM 4500-NO2 B-2000      |
| 102.234 | 002 | Nitrate (as N)          | SM 4500-NO3 F-2000      |

**Field of Accreditation:103 - Toxic Chemical Elements of Drinking Water**

|         |     |           |           |
|---------|-----|-----------|-----------|
| 103.130 | 008 | Copper    | EPA 200.7 |
| 103.130 | 009 | Iron      | EPA 200.7 |
| 103.130 | 011 | Manganese | EPA 200.7 |
| 103.130 | 017 | Zinc      | EPA 200.7 |
| 103.130 | 018 | Boron     | EPA 200.7 |
| 103.140 | 001 | Aluminum  | EPA 200.8 |
| 103.140 | 002 | Antimony  | EPA 200.8 |
| 103.140 | 003 | Arsenic   | EPA 200.8 |
| 103.140 | 004 | Barium    | EPA 200.8 |
| 103.140 | 005 | Beryllium | EPA 200.8 |
| 103.140 | 006 | Cadmium   | EPA 200.8 |
| 103.140 | 007 | Chromium  | EPA 200.8 |
| 103.140 | 008 | Copper    | EPA 200.8 |
| 103.140 | 009 | Lead      | EPA 200.8 |
| 103.140 | 010 | Manganese | EPA 200.8 |
| 103.140 | 011 | Mercury   | EPA 200.8 |
| 103.140 | 012 | Nickel    | EPA 200.8 |
| 103.140 | 013 | Selenium  | EPA 200.8 |
| 103.140 | 014 | Silver    | EPA 200.8 |
| 103.140 | 015 | Thallium  | EPA 200.8 |
| 103.140 | 016 | Zinc      | EPA 200.8 |
| 103.140 | 017 | Boron     | EPA 200.8 |
| 103.140 | 018 | Vanadium  | EPA 200.8 |

**Field of Accreditation:106 - Radionuclides in Drinking Water**

|         |     |         |           |
|---------|-----|---------|-----------|
| 106.092 | 001 | Uranium | EPA 200.8 |
|---------|-----|---------|-----------|

**Field of Accreditation:107 - Microbiological Methods for Non-Potable Water and Sewage Sludge**

|         |     |                              |                            |
|---------|-----|------------------------------|----------------------------|
| 107.050 | 001 | Total Coliform (Enumeration) | SM 9221 B-2014             |
| 107.052 | 001 | Fecal Coliform (Enumeration) | SM 9221 E-2014             |
| 107.054 | 001 | E. coli (Enumeration)        | SM 9221 F-2014             |
| 107.068 | 001 | E. coli (Enumeration)        | SM 9223 B-2016 Colilert    |
| 107.070 | 001 | E. coli (Enumeration)        | SM 9223 B-2016 Colilert 18 |

**Field of Accreditation:108 - Inorganic Constituents in Non-Potable Water**

|         |     |           |           |
|---------|-----|-----------|-----------|
| 108.013 | 001 | Calcium   | EPA 200.7 |
| 108.013 | 002 | Magnesium | EPA 200.7 |

|         |     |                                 |                                  |
|---------|-----|---------------------------------|----------------------------------|
| 108.013 | 003 | Phosphorus, Total               | EPA 200.7                        |
| 108.013 | 004 | Potassium                       | EPA 200.7                        |
| 108.013 | 005 | Silica, Dissolved               | EPA 200.7                        |
| 108.013 | 006 | Sodium                          | EPA 200.7                        |
| 108.015 | 001 | Calcium                         | EPA 200.8                        |
| 108.015 | 002 | Magnesium                       | EPA 200.8                        |
| 108.015 | 003 | Potassium                       | EPA 200.8                        |
| 108.015 | 004 | Silica, Dissolved               | EPA 200.8                        |
| 108.015 | 005 | Sodium                          | EPA 200.8                        |
| 108.017 | 002 | Chloride                        | EPA 300.0                        |
| 108.017 | 003 | Fluoride                        | EPA 300.0                        |
| 108.017 | 004 | Nitrate (as N)                  | EPA 300.0                        |
| 108.017 | 005 | Nitrate-Nitrite (as N)          | EPA 300.0                        |
| 108.017 | 006 | Nitrite (as N)                  | EPA 300.0                        |
| 108.017 | 007 | Phosphate, Ortho (as P)         | EPA 300.0                        |
| 108.017 | 008 | Sulfate (as SO <sub>4</sub> )   | EPA 300.0                        |
| 108.059 | 001 | Turbidity                       | SM 2130 B-2011                   |
| 108.063 | 001 | Alkalinity                      | SM 2320 B-2011                   |
| 108.065 | 001 | Hardness (Calculation)          | SM 2340 B-2011                   |
| 108.069 | 001 | Specific Conductance            | SM 2510 B-2011                   |
| 108.070 | 001 | Residue, Total                  | SM 2540 B-2015                   |
| 108.072 | 001 | Residue, Filterable TDS         | SM 2540 C-2015                   |
| 108.074 | 001 | Residue, Non-filterable TSS     | SM 2540 D-2015                   |
| 108.076 | 001 | Residue, Volatile               | SM 2540 E-2015                   |
| 108.076 | 002 | Residue, Fixed Filterable (FDS) | SM 2540 E-2015                   |
| 108.078 | 001 | Residue, Settleable             | SM 2540 F-2015                   |
| 108.119 | 001 | Chloride                        | SM 4500-Chloride D-2011          |
| 108.137 | 001 | Hydrogen Ion (pH)               | SM 4500-H+ B-2011                |
| 108.149 | 001 | Ammonia (as N)                  | SM 4500-NH <sub>3</sub> H-2011   |
| 108.151 | 001 | Kjeldahl Nitrogen, Total (as N) | SM 4500-Norg D-2011              |
| 108.153 | 001 | Nitrite (as N)                  | SM 4500-NO <sub>2</sub> B-2011   |
| 108.158 | 001 | Nitrate-Nitrite (as N)          | SM 4500-NO <sub>3</sub> - F-2016 |
| 108.206 | 001 | Biochemical Oxygen Demand       | SM 5210 B-2016                   |
| 108.206 | 002 | Carbonaceous BOD                | SM 5210 B-2016                   |
| 108.213 | 001 | Chemical Oxygen Demand          | SM 5220 D-2011                   |
| 108.214 | 001 | Organic Carbon-Total (TOC)      | SM 5310 B-2014                   |

**Field of Accreditation: 109 - Metals and Trace Elements in Non-Potable Water**

|         |     |           |           |
|---------|-----|-----------|-----------|
| 109.623 | 006 | Boron     | EPA 200.7 |
| 109.623 | 010 | Copper    | EPA 200.7 |
| 109.623 | 011 | Iron      | EPA 200.7 |
| 109.623 | 013 | Manganese | EPA 200.7 |
| 109.623 | 022 | Zinc      | EPA 200.7 |

|         |     |            |           |
|---------|-----|------------|-----------|
| 109.625 | 001 | Aluminum   | EPA 200.8 |
| 109.625 | 002 | Antimony   | EPA 200.8 |
| 109.625 | 003 | Arsenic    | EPA 200.8 |
| 109.625 | 004 | Barium     | EPA 200.8 |
| 109.625 | 005 | Beryllium  | EPA 200.8 |
| 109.625 | 006 | Boron      | EPA 200.8 |
| 109.625 | 007 | Cadmium    | EPA 200.8 |
| 109.625 | 008 | Chromium   | EPA 200.8 |
| 109.625 | 009 | Cobalt     | EPA 200.8 |
| 109.625 | 010 | Copper     | EPA 200.8 |
| 109.625 | 012 | Iron       | EPA 200.8 |
| 109.625 | 013 | Lead       | EPA 200.8 |
| 109.625 | 014 | Manganese  | EPA 200.8 |
| 109.625 | 015 | Molybdenum | EPA 200.8 |
| 109.625 | 016 | Nickel     | EPA 200.8 |
| 109.625 | 017 | Selenium   | EPA 200.8 |
| 109.625 | 018 | Silver     | EPA 200.8 |
| 109.625 | 019 | Thallium   | EPA 200.8 |
| 109.625 | 022 | Vanadium   | EPA 200.8 |
| 109.625 | 023 | Zinc       | EPA 200.8 |

---

**Field of Accreditation: 126 - Microbiological Methods for Ambient Water**


---

|         |     |                              |                            |
|---------|-----|------------------------------|----------------------------|
| 126.102 | 001 | Total Coliform (Enumeration) | SM 9221 B-2014             |
| 126.104 | 001 | Fecal Coliform (Enumeration) | SM 9221 E-2014             |
| 126.106 | 001 | E. coli (Enumeration)        | SM 9221 F-2014             |
| 126.120 | 001 | E. coli (Enumeration)        | SM 9223 B-2016 Colilert    |
| 126.122 | 001 | E. coli (Enumeration)        | SM 9223 B-2016 Colilert 18 |